

Toxicology Quantitation
QC Worksheet

QC Data File: _____

Drug

Lot#		$r^2=$	
Calibrator	Conc (mg/L)	% Difference	Limits
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
<u>Control</u>	<u>Lot #</u>	<u>Conc (mg/L)</u>	<u>Range</u>
Negative			
QC			
QC			
QC			

Drug

Lot#		$r^2=$	
Calibrator	Conc (mg/L)	% Difference	Limits
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
<u>Control</u>	<u>Lot #</u>	<u>Conc (mg/L)</u>	<u>Range</u>
Negative			
QC			
QC			
QC			

Drug

Lot#		$r^2=$	
Calibrator	Conc (mg/L)	% Difference	Limits
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
<u>Control</u>	<u>Lot #</u>	<u>Conc (mg/L)</u>	<u>Range</u>
Negative			
QC			
QC			
QC			

Drug

Lot#		$r^2=$	
Calibrator	Conc (mg/L)	% Difference	Limits
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
<u>Control</u>	<u>Lot #</u>	<u>Conc (mg/L)</u>	<u>Range</u>
Negative			
QC			
QC			
QC			

Drug

Lot#		$r^2=$	
Calibrator	Conc (mg/L)	% Difference	Limits
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
<u>Control</u>	<u>Lot #</u>	<u>Conc (mg/L)</u>	<u>Range</u>
Negative			
QC			
QC			
QC			

Drug

Lot#		$r^2=$	
Calibrator	Conc (mg/L)	% Difference	Limits
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
		#DIV/0!	
<u>Control</u>	<u>Lot #</u>	<u>Conc (mg/L)</u>	<u>Range</u>
Negative			
QC			
QC			
QC			

Analyst: _____
Date: _____

Reviewer: _____
Date: _____

UNCONTROLLED
COPY