

**FIREARM WORKSHEET**

**FS LAB #** \_\_\_\_\_

**Start Date** \_\_\_\_\_

**End Date** \_\_\_\_\_

Item # \_\_\_\_\_ Cont # \_\_\_\_\_ Description/Condition \_\_\_\_\_

Evidence Description \_\_\_\_\_

Mark of ID Location \_\_\_\_\_

Brand \_\_\_\_\_ Model \_\_\_\_\_

Caliber \_\_\_\_\_ Serial # \_\_\_\_\_ GRC \_\_\_\_\_

Pre-Firing Safety Check: Pass \_\_\_\_\_ Fail \_\_\_\_\_ Firearm Operability: Operable \_\_\_\_\_ Inoperable \_\_\_\_\_

# Test Fires \_\_\_\_\_ Date(s) Produced \_\_\_\_\_

Ammo Used \_\_\_\_\_

Mag Used: Submitted \_\_\_\_\_ Reference \_\_\_\_\_ None \_\_\_\_\_ Microscope Used: Stereo \_\_\_\_\_ Comparison \_\_\_\_\_

NIBIN Results/Date/By \_\_\_\_\_

**Comparisons:**

Action/Features \_\_\_\_\_

Safeties (operability) \_\_\_\_\_

FP \_\_\_\_\_ BF \_\_\_\_\_ Extractor \_\_\_\_\_ Ejector \_\_\_\_\_

LWD \_\_\_\_\_ in.

GWD \_\_\_\_\_ in.

Tests Compared: Cartridge Cases \_\_\_\_\_ Bullets \_\_\_\_\_

Remarks:

COPYRIGHT © 2018  
VIRGINIA  
DEPARTMENT  
OF  
FORENSIC SCIENCE